TOSHIBA

TOSHIBA Standard Type Moving Walk

Instruction Manual

For Operation Management

Please read this instruction manual carefully before operation for correct and safe use, and keep the manual handy for future reference.

Introduction

Thank you very much for purchasing Toshiba Moving Walk. In order to ensure the Moving Walk's safe operation, periodic maintenances are required. However, regular inspection by the operator on a daily basis is necessary too. Please assign operator to be in charge of the Moving Walk's operation.

To ensure Moving Walk is operated correctly and safely, the operator must read through this "Instruction Manual" carefully before operation.

After the operator has finished reading this manual, they should keep it where accessible.

When the owner or the operator is changed, please make sure that this manual is handed over to the next owner or operator.

If you have any questions or any descriptions are unclear, please inquire at our local distributor.

This manual is intended as a guide to maintenance and operation of Toshiba Moving Walk.

Terms and Definitions

The owner is the person who owns the Moving Walk.

The operator is the person who directly manages the operation of Moving Walks in use.

The engineer is the person with professional qualifications who is in charge of the maintenance of the Moving Walk.

Please enter into a maintenance contract with our local distributor, to assure your satisfaction with high quality maintenance services.

Ensure quality performance and operation of your Moving Walk.

• We understand the overall structure of the Moving Walk clearly, including the design, manufacture, sales, installation, maintenance, and the correct technical information. Our service has quality assurance.

Ensure efficient repair and parts replacement.

 We supply appropriate parts according to the model and all parts are in stock. Repair service and part replacement are done efficiently.

Fast-action servicing.

• In case of malfunction or emergency, our engineers will be there to fix the problem in a timely manner.

Serviced by professionals.

• Your Moving Walk is always maintained by professionals. Only engineers who possess the technical skills and qualifications will be assigned to take charge of the Moving Walk's maintenance.

Contents

Introduction	1
Definition of Safety Indications	3
Safety Precautions	4
Safety Devices	11
Names and Functions of Moving Walk Parts	13
Operating Procedures Startup Shutdown	15
How to Ride a Moving Walk Safely	17
Safety Measures in Case of Emergency In Case of Emergency Stop In Case of Accident Resulting in Injury or Death Examples of Rescue Methods	19 20
Safety Measures in Case of Disaster In Case of Earthquake In Case of Fire Power Outage Notification In Case of Rainstorm	21 22 23
Procedure for Daily Inspection	25
How to Clean and Maintain Moving Walks Guidelines on the Maintenance and	2 7
Operation of Moving Walks	29

Definition of Safety Indications

Be aware of the following safety indications and their meaning. These indications are very important in prompting operator and passengers awareness about hazardous actions or locations.

Description of labels

Label	Meaning of label
⚠ DANGER	Indicates "If erroneously handled, there is an immediate risk that persons may die or be seriously injured".
⚠ WARNING	Indicates "If erroneously handled, persons may die or be seriously injured *1".
⚠ CAUTION	Indicates "If erroneously handled, persons may be injured*2 and/or only material damage*3 may occur".

^{*1: &}quot;Seriously injured" means blindness, injury, burns (high-temperature and moderate-temperature), electric shock, fractures, poisoning, etc. with long-lasting effects and that require hospitalization and/or long-term hospital visits for treatments.

- *2: "Injured" means an injury, burns, electric shock, etc. that require hospitalization and/or long-term hospital visits for treatments.
- *3: "Material damage" means extended damage involving assets and materials, and/or involving livestock and pets.

Description of symbols

Symbol	Meaning of symbol
Prohibited	"O" indicates a prohibited action (a forbidden action). The nature of the hazard is depicted in the form of an image or a sentence within or near the symbol.
Mandatory Action	" indicates a mandatory action (a compulsory action). The nature of the hazard is depicted in the form of an image or a sentence within or near the symbol.

Important notes:

Be sure to observe all safety precautions marked with the DANGER, WARNING and CAUTION labels, and do not do anything that is not described in this manual in order to avoid injury, death or property damage.

Disclaimer

Toshiba shall not be responsible for any breakdowns or accidents caused by inappropriate management or usage, including but not limited to the following:

- · Failure to follow or apply the operating or handling instructions contained herein
- Inappropriate maintenance, inspections and/or repairs
- Unauthorized alterations to the Moving Walk
- · Use of parts other than those provided or specified by Toshiba

Safety Precautions

The following precautions apply to the Owner and the Operator of Moving Walks.

WARNING

Perform daily inspection (Refer to page 25)

Perform daily inspection to avoid avoidable malfunction or





Action



Carry out regular and preventive maintenance.

Conduct regular inspections and maintenance on the Moving Walk to detect and prevent any problem before it occurs. Please contact Toshiba for further details.



Mandatory Action

Stop the Moving Walk immediately in the event of malfunction, when smoke is emitted, there is any strange sound, etc. (Refer to page 16 for Shutdown).

Stop operation; otherwise, it may result in a fire or malfunction.

Please contact the maintenance service company immediately.



Mandatory Action



■ When water penetrates due to heavy rain, etc., stop operation immediately (Refer to page 16 for Shutdown).

Continuing operation under such circumstances may lead to an accident. Please contact the maintenance service company after discontinuing operation.



Action




Do not repair, remodel or disassemble.

company if any problems occur.



malfunction. Please contact the maintenance service







Do not pour liquids, such as water, or apply wax etc. on the pallet and/or landing plate.

This may increase the risk of slipping on the pallets and landing plate surface, which may lead to an accident. Also, leakage of liquids into the Moving Walk may result in electric shock or malfunction.






■ Do not remove the landing plate.

Since it houses a control panel, motor, etc. inside, this may result in an accident.







This may result in an accident.





Safety Precautions

The following precautions apply to the Owner and the Operator of Moving Walks.

WARNING

Ensure a Moving Walk is free of passengers and/or objects before starting and stopping it.

If it is made to start and stop with a person or object present, it may result in undesirable accident.





Stop the Moving Walk before cleaning and maintenance (Refer to page 16 for Shutdown).

Failure to do so may result in an accident.



Mandatory Action



■ Do not hold an event which may create a crowd around the landing plate from the Moving Walk.

The crowd will prevent passengers from getting off the Moving Walk and lead to an accident.





■ Do not use a stopped Moving Walk as seats.

Overloading will cause it to descend, which may result in an accident.





■ If any work is to be done involving fire/sparks/ heat, please provide adequate instructions for fire prevention to the personnel responsible for the work.

Sparks produced from the work may get into Moving Walk and cause an accident.




Mandatory Action

■ Set up barricades when you suspend the Moving Walk service to prevent people from using the Moving Walk as stairs: otherwise, an accident may occur.

Persons may trip or fall.



Action



■ Affix warning labels at places where the passengers can notice them easily.

Passengers should be alerted to prevent accidents and breakdowns.

The operation supervisor should guide persons in using the Moving Walks.

■ The operator should keep the key after it is removed from the key switch.

Mandatory Action

If the key inserted into the switch, it may cause an accident.

Mandatory

Action

Mandatory Action

■ When holding an event, staff the Moving Walk platform with quides and ensure there is space for boarding.

Users getting off a Moving Walk but remaining at its exit may cause others to fall.

Guide passengers with the following instructions:

DANGER

■ Do not ride on the handrail and deck board.

This may cause injury and accident.





■ Do not lean your body (any part of you) past the handrail, or lean against a handrail.

This may cause injury and accident.





MARNING

■ Do not run or walk on the pallets.

This may cause an accident.



Prohibited



Do not run on and off the pallets.

This may lead to an accident.



Prohibited



■ Do not allow children to play around the ■ Do not lean against the glass (or a panel). Moving Walk. This may lead to an accident.

This may lead to an accident.



Prohibited



Prohibited



■ Do not touch the pallets, comb, skirt guard panels, or handrail inlet with hands.

This may lead to serious injury and an accident.



Don't touch



Do not climb or walk on the deck boards.

This may lead to an accident.



Prohibited



Safety Precautions

Guide passenger with the following instructions:

MARNING

■ Do not use Moving Walk in the event of a fire and/or earthquake.

This may lead to matters becoming worse.





 \blacksquare Do not use in the opposite direction.

Falling might cause an accident.



Action



■ Do not pull a handrail or kick away the skirt

guard panel etc.The safety mechanism may trigger an emergency stop, or

result in unsynchronized motion of handrail and pallets, causing an accident.






Stand within the yellow line.

If you stand on the yellow line, your feet may be injured.



Action



Prombited

■ Do not ride with clothes that may be caught by the Moving Walk such as a long dress.

The dress may become caught by the Moving Walk and lead to an accident.



Prohibited

■ Hold the handrail firmly.

This will help to prevent the occurrence of an accident.



Mandatory Action



■ When small children get on, their parent or guardian needs to hold their hand.

Not holding their hand or letting them use the Moving Walk alone may result in an accident.



Mandatory Action



Do not step on the comb when you are getting on or off a Moving Walk.

Doing so may lead to an accident.



Mandatory Action



Guide passengers with the following instructions:

A CAUTION

Do not carry large baggage on the Moving Walk.

You may tumble down with the baggage, or the baggage may hit other passengers and result in an accident.



Prohibited

■ Do not place any package, etc., on a pallet, handrail, deck board, or landing plate.

The package, etc., may fall, and cause serious injury and an accident.



Prohibited



■ Do not carry any long objects.

You may lose balance, leading to an accident. The object may become stuck between the moving Moving Walk and the ceiling, causing damage to pallets and an accident.



Prohibited

■ Do not use a stopped Moving Walk as stairs.

This may lead to an accident.



Prohibited



■ Do not sit on the pallets.

It may cause serious injury.



Prohibited

■ Do not ride with animals.

It may lead to an accident.



Prohibited



Do not stop at the landing plate once getting off from the Moving Walk.

The way of other passengers will be blocked, causing an accident.



Prohibited



Do not touch pallets with thin or pointy objects, such as the point of an umbrella.

It may be caught in between the grooves, leading to an accident or damaging the pallets.



Prohibited



Safety Precautions

Guide passengers with the following instructions:

A CAUTION

Do not smoke while riding a Moving Walk.

This may lead to an accident.



Prohibited




Do not get on a Moving Walk with wet shoes, or hold a handrail with wet hands.

Slippery pallets and handrails may lead to an accident.



Prohibited




■ Do not force the head or heels of footwear made of soft material, such as rubber or vinyl products, into the clearance between skirt guard panels or pallets.

This may cause an accident if the object is caught between a skirt guard panel or pallet.

Moreover, this will trigger the safety mechanism and an emergency stop, which may lead to an accident.



Prohibited



■ Be careful not to let stiletto heels get caught in between the Moving Walk pallets.

Stiletto heels may become stuck in between the grooves or comb, leading to an accident.



Mandatory Action



■ Do not ride the Moving Walk barefoot.

This may lead to serious injury.



Prohibited



Guide passengers with the following instructions:

A slope-type Moving Walk is not recommended for use by wheelchairs or strollers.

A CAUTION

■ If using a cart, ride with the wheels locked and stand safely on a pallet.

You may tumble down with the cart, or the cart may hit other passengers, resulting in an accident.



Prohibited

■ Do not use the Moving Walk with a child carried in a cart.


This may cause injury and an accident.



Action



off a Moving Walk.





Prohibited

Mandatory Action

■ When using a wheelchair, please ride together with an assistant person.

Not doing so may lead to an accident.



Mandatory Action

■ Before using a stroller, please consider safety.

■ Please push a cart stationary on a pallet to get

Not doing so may cause injury and an accident.

Using a stroller may lead to an accident.



Mandatory Action

■ Please lock the brakes when using wheelchairs and strollers on a slope-type Moving Walk.

Not doing so may lead to an accident.



Prohibited

■ Please don't move a wheelchair, stroller, or cart on the pallets.


This may cause an accident.

Safety Devices

Safety devices in Moving Walk.

Moving Walk

All of these safety devices trigger an emergency stop. To resume operation, please refer to page 19.




The installation location of safety devices (outline)

Apply below the specification for angle of inclination 12° or 0° .

			Application
Position	no.	Device name	Standard
	A	PESSRAE	0
	1	Emergency stop button	0
	2	Handrail inlet safety device	0
	3	Comb safety device	0
	4	Handrail speed monitoring device	0
	5	Electric-circuit protection device	0
	6	Electromagnetic brake	0
	7	Broken drive-chain detective device	0
Upper floor	8	Pallet drop out detective device	0
	10	Pallet cover	0
	11	Over speed and reverse operation monitoring device	0
	12	Motor overheat protection device	0
	15	Auxiliary brake	A
	16	Stopping distance detector	0
	17	Pallet missing detector	0
	18	Brake release checking device	0
	21	Landing plate switch	0
	13	Pallet sag safety device	A
Middle floor	19	Running up prevention device	A
	20	Emergency stop button	A
	1	Emergency stop button	0
	2	Handrail inlet safety device	0
	3	Comb safety device	0
Lower floor	10	Pallet cover	0
	14	Broken pallet chain detection device	0
	17	Pallet missing detector	0
	21	Landing plate switch	0

Based on application: Standard=GB16899:2011

Names and Functions of Moving Walk Parts



Symbol	Operating panel feature	Explanation
A	Emergency stop button	In case of emergency, stop the Moving Walk immediately by pressing this button. The emergency stop button has a protective cover around it to prevent inadvertent operation. Press the emergency stop button firmly at the center of the cover.
В	Going " \leftarrow "/Coming " \rightarrow " key switch	Select the moving direction by turning the Going " \leftarrow "/Coming " \rightarrow " key switch.
	"UP"/"DOWN" key switch	Select the moving direction by turning the "UP"/"DOWN" key switch.
C	STOP/BUZZER key switch	Turn the switch to stop the Moving Walk or to sound a buzzer.
O	Lighting/lights-off key switch (Optional)	Turn on or turn off the lighting system.

Operating panel

Flat type

For left side of drive unit side.



For right side of slave side.





Slope type

Upper floor



Lower floor



Operating Procedures

MARNING

■ Before starting or stopping the Moving Walk operation:

Make sure that there are no passengers on the Moving Walk, and that there are no objects placed on the Moving Walk.

Starting or stopping the Moving Walk when there are passengers on the Moving Walk could cause the passengers to tumble down the pallets, which may lead to death or serious injury.

- Remove the key and return it to the person in charge after use to prevent unexpected accident.
- Do not use keys and switches with wet hands.

There is the possibility of electric shock if water reaches internal electrical components from the operating keys, which may lead to death or serious injury. This could also cause equipment failures or breakdown.

Startup

1

Make sure that there are no passengers on the Moving Walk, and that there are no objects placed on the Moving Walk.

- If anyone is on the Moving Walk, wait for them to get off
- If any objects are placed on the Moving Walk, remove them
- If the Moving Walk is interlocked with fire-proof shutters, make sure that the fire-proof shutters are completely open.



7

Turn the operating panel STOP/BUZZER switch to "BUZZER".

• The alarm sounds, informing anyone in the vicinity that Moving Walk operation is about to begin.



3

Turn to the desired direction of operation via the Going " \leftarrow "/Coming " \rightarrow " key switch for the flat type, or the "UP"/"DOWN" key switch for the slope type.

• Turn off all accompanying illumination.







Operation key

Use to start or stop a Moving Walk. The operation key should be kept by an authorized person only.

Shutdown

1

Make sure that there are no passengers on the Moving Walk.

• If passengers are present, please wait for the persons to get off from the Moving Walk.



7

Turn the operating panel STOP/BUZZER key switch to "BUZZER".

• The alarm sounds to alert the people around that Moving Walk operation is about to stop.



7

Turn STOP/BUZZER key switch to "STOP".

- The Moving Walk will stop.
- Turn off all accompanying illumination.




How to Ride a Moving Walk Safely

Please also read the safety precautions (Refer to page 3) and describe the right way to use Moving Walks (Refer to pages 4 to 10) to users via notices, announcements, etc. Please guide users directly, especially during rush hours.

1

Always stand within the yellow demarcation line of the pallet.

 If you stand on the yellow line, you may get your feet caught in between a moving pallet and the skirt guard panel.



7

Hold the handrail firmly.

• Small children must be held by the hand.



7

Do not run or walk on the Moving Walk.

 Moving Walks are not stairs; running or walking on Moving Walks may lead to an accident.



4

Step over the comb when you get on/off the Moving Walk.

 Give instructions to passengers, so they can get on and off the Moving Walk safely, especially to children, elderly and disabled passengers.



Requests

If using a cart, ride with the wheels locked and stand safely on a pallet.

Memo

 • • •
•••
 • • •
• • •
•••
 • • •
 • • •
• • •

Safety Measures in Case of Emergency

In Case of Emergency Stop

When the emergency stop button is pressed or a safety device has been activated, please follow the procedures stated below:

1

Inspect the handrail inlet, front skirt, comb, pallets, skirt guard panel, etc. (Refer to page 25 for the check method)

- If any foreign object or problem is found, please contact the maintenance service company.
- If case of accident resulting in injury or death, please refer to page 20.

7

Start the Moving Walk. (Refer to page 15 for how to start)

• In case you are unable to start the Moving Walk, please contact the maintenance service company.

In Case of Accident Resulting in Injury or Death

Stay calm and take action according to the following procedures:

Please contact the police/fire department, and maintenance service company immediately.

1

Press the emergency stop button immediately.

• The Moving Walk stops.

7

Take any possible safety measures to rescue the victim(s).

- Please contact the fire station if rescue is impossible, and in case of serious injury.
- Stay attentive during any rescue and keep unauthorized people away from the spot.

3


Contact the maintenance service company.

Examples of Rescue Methods

■ When fingers are caught in the handrail inlet.




Use tools (driver, etc.) to help the victim to draw out his/her fingers from the handrail inlet.



■ Hand and/or foot is caught in between the comb.




Remove the comb with a screwdriver.



■ The foot is caught in between the pallet and the skirt quard panel.



Use tools (bar, etc.,) to widen the clearance between the skirt guard and pallet.



 These rescue methods are examples. Rescue may be difficult depending on the situation. In such cases, please seek professional help.

Safety Measures in Case of Disaster

In case of disaster, it is very important for the supervisors to assess the situation calmly, take action promptly, and always ensure user safety. Here, we explain the procedures to be taken in times of disaster.

In Case of Earthquake



- Please do not use the Moving Walk in case of earthquake.

 Taking refuge on a Moving Walk may make matters worse.
- When you suspend the Moving Walk service, put up barricades to prevent people from using Moving Walks as a walkway to prevent an accident.

Otherwise, a trip or fall accident may occur.

1

Notify passengers about the occurrence of an earthquake by making announcement, and alert them not to use the Moving Walk.

• Please guide the passengers, so they can take refuge safely.

Stop the Moving Walk. (Refer to page 16 for how to stop)

7

Carry out daily inspection, after the earthquake has subsided. (Refer to page 25)

- If any problem is detected, please contact the maintenance service company.
- If no problem is found, please resume operation (Refer to page 15 for how to start).

In Case of Fire



- Please do not use the Moving Walk in case of fire.

 Taking refuge on a Moving Walk is likely to make matters worse.
- When you suspend the Moving Walk service, put up barricades to prevent people from using Moving Walks as a walkway to prevent an accident.

Otherwise, a trip or fall accident may occur.

Notify passengers about the outbreak of fire by making announcement, and alert them not to use the Moving Walk.

• Please guide the passengers, so they can take refuge safely.

J

Notify the fire station immediately.

Please also contact the maintenance service company.

7

Stop the Moving Walk. (Refer to page 16 for Shutdown)

• A fire prevention shutter may be activated, which will stop automatically.

Safety Measures in Case of Disaster

Power Outage Notification

MARNING

■ When you suspend the Moving Walk service, put up barricades to prevent people from using Moving Walks as a walkway to prevent an accident.

Otherwise, a trip or fall accident may occur.

1

Notify users of the power outage via notice, announcement, etc., in advance.

ם

Stop the Moving Walk, before the power is cut off. (Refer to page 16 for how to stop)

7

Resume operation, after the power is restored. (Refer to page 15 for how to start)

In Case of Rainstorm



■ If water penetrates into the Moving Walk due to heavy rain, etc., please stop the Moving Walk immediately (Refer to page 16 for how to stop).

Continuing operation may lead to an accident. If equipment/parts have been exposed to water, replacement may be required.

■ When you suspend the Moving Walk service, put up barricades to prevent people from using Moving Walks as a walkway to prevent an accident.

Otherwise, a trip or fall accident may occur.

In case of rainstorm (possibility of water seepage)

Stop the Moving Walk. (Refer to page 16 for how to stop)

• When there is possibility of water seepage, please stop the Moving Walk.

7

Create a barrier to prevent water from flowing into the Moving Walk.

[After the rainstorm]

Check the landing plate to ensure there is no trace of water penetrating into the Moving Walk.

- If any water trace is detected, please stop the operation and contact the maintenance service company (Refer to page 16 for how to stop).
- If there is no trace of water seepage, please resume the operation (Refer to page **15** for how to start).
- Although the outdoor Moving Walks are designed to withstand a certain extent of rainstorm, we recommend you to stop the Moving Walk in advance, like a normal Moving Walk during a rainstorm.

[If any parts of the Moving Walk have been exposed to water during operation]

Please stop operation immediately and contact the maintenance service company.

 Please do not resume operation under any circumstances unless procedures such as the insulating measurement test, etc., draining, and dryness check have been done by an authorized technician.

Procedure for Daily Inspection

⚠ DANGER

Please conduct daily inspections.

Conduct regular inspections daily to prevent undesirable problems and accidents. Operation with safety comprised may lead to undesirable accident.


Please conduct the following inspection everyday.

If anything unusual occurs, please contact the maintenance service company.

Please check the surrounding facility installation situation at the time of test runs and round checks. If the safety equipment is deficient, or any hindrance exists, do not operate the Moving Walk under any circumstances.

	Inspection	Details of inspection
0	Operational status	 Ensure there is no sign of abnormal sound. Ensure there is no sign of abnormal vibration.
2	Handrail	 Ensure there is no sign of abnormal flaw. Match the pallet speed. Ensure there is no sign of abnormal vibration.
3	Handrail inlet safety device	Ensure there is nothing missing or damaged.Ensure nothing is caught.
4	Comb	Ensure there is nothing missing or damaged.Ensure nothing is caught.
5	Pallet	Ensure there is nothing missing or damaged.Ensure nothing is caught.
6	Skirt guard panel	 Are not in contact with a pallet. Ensure the clearance between pallets is not excessive. Ensure nothing is caught.
7	Glass panel/Deck board	Ensure no damage.
8	Skirt guard panel lighting <0ptional>	 Ensure it operates normally and does not blink. Ensure that there is no damage or crack on the acrylic cover of the skirt guard panel lighting. Ensure the skirt guard panel lighting operates normally and does not flicker.
9	Wedge guard	Ensure no damage.Ensure it does not shift.
10	Partition plate for ingress prevention	 Ensure no damage. Please provide partition plate prevent the passengers from falling from the clearance between the balustrade and the fall prevention fence, etc., in a landing place.
0	Falling object prevention net	• In order to catch falling objects, to prevent accident, please install a net for protection.
12	Speaker	 It is effective to use announcements over a store's public address system etc. for guidance, PR, etc. concerning the right method of getting on and off Moving Walks.
13	Fall prevention fence	 Please install a fence around the Moving Walk to prevent small children or any object from falling accidentally.
4	Fire prevention shutter interlock device	• In the event of fire, it is necessary to isolate the Moving Walk from the outside.
15	Deflector	Ensure no damage.Ensure it does not shift.

- Please remove any object that triggered an emergency stop in 3, 4, and 5 (Refer to page 16 for how to stop).
- 8 and 9 are optional, depending on the situation.
- 10, 11, 12, 13, 14, 15: These facilities are not incleded in Moving Walk installation work.



How to Clean and Maintain Moving Walks

Please stop the Moving Walk before cleaning and maintenance (Refer to page 16 for how to stop). Failure to do so may result in an accident.



■ Please do not pour liquids, such as water, or apply wax etc. on the pallet and/or landing plate.

This may increase the risk of slipping on the pallet and landing plate surface, which may lead to an accident. Also, leakage of liquid into Moving Walk may result in electric shock or malfunction.

Cleaning area	The cleaning method
Handrail	 Wipe with a dry soft cloth. Wipe stubborn stains with neutral detergent diluted to about 1%. Remove the moisture with a dry cloth later. After the handrail is dried, please apply slide agent* with a cloth to the handrail surface. When the liquid is dried, please wipe the handrail with a dry cloth. Keep in mind that the handrail may get scratched if it is neglected or over-wet with too much silicone. Stop the Moving Walk. Clean only the exposed portion of the handrail. When the cleaned section is thoroughly dried, operate the Moving Walk to allow the remaining section to be exposed for cleaning. *An example slide agent Toshiba Silicone emulsion TSM 630 < GE Toshiba Silicones Co., Ltd.>
Comb, pallets, landing plate	 Remove rubbish, etc., with a vacuum cleaner. Remove any rubbish in the groove of the comb or pallet.
Glass panel / deck board	 Wipe with a dry soft cloth. Wipe stubborn stains with neutral detergent diluted to about 1%. Remove the moisture with a dry cloth later. Please read the instruction manual for how to use the glass cleaner.
Illumination cover	 Wipe the stain with neutral detergent diluted to about 1% strength. Occasionally, wipe stains with plain water. Remove the moisture with a dry cloth and apply antistatic agent. Users should read the instruction manual for how to use the antistatic agent.

Note

Please do not use benzene, thinner, gasoline, etc.

These solvent may cause degradation and discoloration of Moving Walk material.



■ Please apply a slide agent to the skirt guard panel once or twice a month.

Inadequate slide agent may cause shoes, etc., to become pulled into the clearance between the pallet and skirt guard panel.

■ Please do not allow the slide agent to adhere to a pallet.

Otherwise, it may lead to an accident.

Cleaning area	The cleaning method
Skirt	Please apply a slide agent once or twice a month. (When a fluoro-resin coating skirt is used, please apply once every three months.)
guard panel	An example slide agent Toshiba Silicone emulsion TSM 630 <ge co.,="" ltd.="" silicones="" toshiba=""></ge>

Guidelines on the Maintenance and Operation of Moving Walks



■ Please implement stipulated regular inspection and maintenance checks.

The Moving Walk should be inspected and maintained regularly to ensure the safe use of the Moving Walk and its performance.

Please consult with our company regarding the inspection and maintenance.

■ The oil etc. used for lubrication may accumulate in the lower truss of the Moving Walk.

Please conduct regular inspection to prevent oil leakage problems.

- Please do not enter into any maintenance contract with any unauthorized / unqualified maintenance company.
- Please do not engage in the recovery of oil by any means other than through a maintenance operator.
- Please dispose of recovered oil properly to avoid environment pollution.

As described above, Moving Walks can be a safe means of transportation that can be used conveniently in our daily life. Of course, to ensure safety, the equipment itself must be designed to be safe, but at the same time, it should also be properly used and maintained.

In order to prevent accidents and ensure safety, the owner and the operator of Moving Walks should fully understand them and perform daily maintenance and operation properly.

Note

Contact Toshiba when you need to dispose of or remove a Moving Walk.



Memo

•••••
•••••
•••••
 •••••
•••••
 ·····•
 •••••
•••••



Safety Cautions

- \bullet Observance of relevant laws / regulations are required.
- Read the entire "Instruction Manual" carefully before use, for important information about safety, handling and operation.

TOSHIBA

Toshiba Elevator and Building Systems Corporation

72-34, Horikawa-cho, Saiwai-ku, Kawasaki 212-8585, Japan PHONE: +81-44-331-7057 FAX: +81-44-548-9597

- The data given in this catalogue are subject to change without notice.
- Revised publication effective Oct,2019